





The information provided herein is from CONNELY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to, trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNELY or its affiliates. Unauthorized use or reproduction of this information in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of CONNELY may infringe its intellectual property rights at its own discretion, failures or delays to exercise such rights does not constitute a waiver of such rights.

REV.	DESCRIPTION	DRAWN	CHECKED	APPROVED
A	NEW RELEASE	JLZ 10/23/19'		



SIM Card Pin-Map

PIN NO.	NAME
P1	C1:VCC
P2	C2:RST
P3	C3:CLK
P4	RESERVED
P5	C4:GND
P6	C5:VPP
P7	C6:DATE I/O
P8	RESERVED

Notes:

- Material:
 - Housing: High Temp., UL 94V-0 Color of Black.
 - Contacts: Copper Alloy.
 - Shell: Stainless Steel.
- Finish:
 - Contact Area: Gold Over Nickel
 - Solder Area: Tin Over Nickel.
- Specifications:
 - Temperature Rated: -30°C TO +85°C
 - Contact Resistance: 80mΩ Max.
 - Insulation Resistance: 1000MΩ Min.
 - Withstanding Voltage : 500V AC.
 - Current Rating: 0.5A.
 - Voltage Rating: 50V.
- Product Number Code:

DS1138-21 - XX X X X X X X

- Packing Type
- R: Tape On Reel
- Shell Plating
- S: Stainless
- Housing Color
- B: Black
- Contact Plating
- 0: Selective Gold flash
- Mounting Type
- S: SMT type
- Connector Type
- S: Socket
- NO. Of Contacts
- 08:8Pin

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION	TITLE
X.	±0.60	X.	±5°		Micro SIM Card 8P SMT H=1.5
.X	±0.38	.X	±3°	UNITS	mm
.XX	±0.25	.XX	±2°	SHEET SIZE	A4
DRAWING TYPE				CUSTOMER	SERIES
SCALE				1:1	DS1138-21 SERIES
DRAWING NO.				C-DS1138-21-XXXXXXX-A	SHEET
				1 OF 1	

晨翔电子有限公司
 CONNELY CONNELY ELECTRONIC CO. LTD