

Dept	
	Qty
DC	1
ED	1
IE	1
ISO	1
PD	1
R&D	1
SD	1
QA	1
QC	1
QE	1

The information provided herein is from CONNEY Electronic Co., Ltd. and is confidential. Any disclosure to a party other than the recipient is prohibited. The intellectual properties and its rights contained herein, including but not limited to trademarks, patents, copyrights, trade secrets, and technical know-how, are owned exclusively by CONNEY or its affiliates. Unauthorised use or modification is strictly prohibited without prior written consent from CONNEY. All intellectual properties provided herein are for reference purposes only and does not constitute authorization of its use. CONNEY may enforce its intellectual property rights at its own discretion; failure or delay to exercise such rights does not constitute a waiver of such rights.



Comprise: 1 x Crimping Tool
5 x Jaws

GENERAL TOLERANCE		ANGLE TOLERANCE		PROJECTION		TITLE	Multi functional crimping tool set
X. ± 0.60		X. $\pm 5^\circ$		UNITS	mm	(Type 1)	
.X ± 0.38		.X $\pm 3^\circ$		SHEET SIZE	A4	SERIES	DS1201-10 SERIES
.XX ± 0.25		.XX $\pm 2^\circ$					
DRAWING TYPE	CUSTOMER		 晨翔电子有限公司 CONNFLY CONNFLY ELECTRONIC CO. LTD				
SCALE	1:1	sheet	1 OF 1				
DRAWING NO.	C-DS1201-10-XX-A						

Notes:

1. Product Description: Carbon Steel, Plastic.
2. Insulated terminals are suitable for cable cross-sections of $0.25\text{--}5\text{mm}^2$ /AWG24-14.
3. Spring terminals are suitable for cable cross-sections of $0.08\text{--}6\text{mm}^2$ /28-10AWG.
4. Bare terminals are suitable for cable cross-sections of $0.5\text{--}6\text{mm}^2$ /20-10AWG.
5. European terminals are suitable for cable cross-sections of $0.5\text{--}6\text{mm}^2$ /20-10AWG.
6. Coaxial cable terminals are suitable for cable cross-sections of $1.0\text{--}4.5\text{mm}^2$

It will be much helpful to save energy to install at site.

Product Number Code:

Product Number code:

Kit Type
1: Type 1

— Package Colour
B: Black

CONNFLY 晨翔电子有限公司
CONNFLY ELECTRONIC CO. LTD